

Teat Dip

Quaternary

Teat Dip is a straight quaternary ammonia formula with special teat conditioners to prevent chapping.

FDA regulated.



Teat Dip
ST-56, 4 x 1 gallon case.

ST-No.	UPC No. Mfg. No. 071206	Case Size	Case Weight	Cases/Pallet
ST-56	004611	4 x 1 gal.	36 pounds	48

Teat dipping is an important part of a mastitis control plan:

1. Dip teats immediately after milking.
2. Use good milking and environmental management procedures.
3. Use properly functioning milking equipment.
4. Treat every quarter of every cow at dry off.
5. Identify and treat or manage clinical cases promptly.
6. Cull chronically infected cows.

Teat dipping in cold weather:

When the temperature falls below 10°F, or when wind chill is significant, special precautions should be taken to avoid chapped and frozen teats.

1. Teats should be dry before turning cows out into cold weather.
2. When teats are dipped after milking, allow 30 seconds contact, and blot off any excess teat dip with a single service towel.
3. Warm the teat dip to reduce drying time.
4. Provide windbreaks in outside areas for cows.
5. Monitor fresh cows with swollen udders and teats since they are more susceptible to chapped and frozen teats.

Directions

- DO NOT DILUTE.
- Dip teats immediately after milking as a routine part of milking procedures.
- Dip to THOROUGHLY COVER at least the lower one-third of the teat (preferably to the base of the udder), IMMEDIATELY after every milking.
- Empty and clean dip cups after each milking, or during milking, if they become contaminated.
- Do not pour used dip back into original container.
- KEEP FROM FREEZING.
- Keep container closed to prevent contamination.
- Store container in an upright position.



STEARNS PACKAGING CORPORATION

4200 Sycamore Avenue • Madison, Wisconsin 53714
Telephone: (800) 655-5008 • (608) 246-5150 • Fax: (608) 246-5149
E-mail: stearns@stearnspkg.com • <http://www.stearnspkg.com>