

MATERIAL SAFETY DATA SHEET

SECTION 1 – PRODUCT/MANUFACTURER'S IDENTITY

Product Name: Extra-Strength Cleaner

Formula ID Number: GL-61

Synonyms: ST-724, ST-732, ST-748
Extra-Strength Cleaner Degreaser

MSDS File Name: EXTRA-STRENGTH CLNR

EPA Reg #: None

DOT Hazard Class: None

DOT Shipping Name: Compound, cleaning, NOI,
liquid. Item 48580, Sub. 3, Class 55

NSF Certified: C1, 7/27/04

Company: Stearns Packaging Corporation
4200 Sycamore Avenue (53714)
PO Box 3216
Madison, WI 53704-0216

Phone: 800-655-5008

Fax: 608-246-5149

Emergency Contact: CHEM-TEL, 800-255-3924

Concentrate		In Dilution		HAZARD RATING
0	Flammability	0		
1	Health	0		
0	Reactivity	0		
None	Special Hazard	None		

Abbreviation Key: N.A.=Not Applicable,
N.D.=Not Determined

SECTION 2 – HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

CHEMICAL IDENTIFICATION	CAS NO.	HAZARD	PEL(ppm)	TLV(ppm)	% (Optional)
-------------------------	---------	--------	----------	----------	--------------

SARA Section 313 Title III Notification Required: No

SECTION 3 – PHYSICAL DATA

Appearance and Odor: Clear, green liquid, citrus scent	Solubility in water: Complete	Vapor Pressure (mm Hg): N.D.	pH (Concentrate): 9.0 ± 0.5
	Boiling Point: About 100°C	Vapor Density (Air=1): N.D.	pH (Use Dilution): 7.0 . 7.5
	Melting Point: About 0°C	Evaporation Rate (Water=0.3): <1	Specific Gravity: 1.026

SECTION 4 – FIRE AND EXPLOSION HAZARD DATA

Flash Point and Method: Non-combustible, >200°F

Special Fire Fighting Procedures: Use full protective clothing and self-contained breathing apparatus.

Flammable Limits ◀ LEL: N.A.
UEL: N.A.

Unusual Fire & Explosion Hazards: None

Extinguishing Media: N.A.

SECTION 5 – REACTIVITY DATA

Chemical Stability: Stable: Unstable: _____

Hazardous Polymerization: May Occur _____ Will Not Occur

Conditions to Avoid: Freezing and extremes of heat

Conditions to Avoid: None known

Incompatibility (Materials to Avoid): None known

Hazardous Decomposition or By-Products: None known

SECTION 6 – HEALTH HAZARD DATA/FIRST AID PROCEDURES

Health Hazards (Acute and Chronic): Irritation of exposed tissues, especially eyes, skin, throat, nasal cavities, and other mucous membranes.

Emergency and First Aid Procedures:

Signs and Symptoms of Exposure: Irritation of eyes and possibly upon direct prolonged contact with skin. Mists may irritate the mucous membranes.

Eyes: If contact occurs, flush with plenty of cool water for 15 minutes. Consult physician.

Medical Conditions Aggravated by Exposure: No data available

Skin: May be irritating to skin. Flush with water and wear gloves in the future to minimize exposure. Wash hands thoroughly after handling. Discontinue use if irritation persists and consult a physician.

Carcinogenicity: IARC Monographs? Yes _____ No

Inhalation: Remove from exposure. Obtain medical attention immediately.

NTP? Yes _____ No OSHA Regulated? Yes _____ No

Ingestion: No toxic effects are expected, but as a precaution, give copious amounts of water or milk. DO NOT induce vomiting.

NOTE TO PHYSICIAN: No specific antidote. Use supportive care. Treatment should be based on judgment of physician in response to the reactions of the patient.

SECTION 7 – PREVENTATIVE AND CONTROL MEASURES

Ventilation: None normally required.

Steps to be Taken if Material is Spilled or Released: Contain any spilled material that may be salvageable. Wash down residues with water. Dispose of material through a sanitary sewer or as local and federal regulations permit.

Skin Protection: Not normally required.

Waste Disposal: Comply with all local, state and federal regulations. Consult your state DNR or the EPA for specific questions. Wastewater should never enter a fresh water body without treatment.

Eye Protection: Not normally required. Use if splashes or mists may get into eyes.

Respirator Protection: Not required under normal working/use conditions.

Other Precautions: Keep out of the reach of children.

Handling and Storage: Store at room temperature. Keep container closed when not in use. Do not mix with other chemicals or cleaning agents.

SECTION 8 – OTHER REGULATORY INFORMATION

Ingredient Listing:

1) Water	7732-18-5	4) Sodium Xylene Sulfonate	1300-72-7
2) EDTA Na4	64-02-8	5) Cocamide DEA	68603-42-9
3) Ammonium Lauryl Sulfate	2235-54-3		

rev. 04/04/07

This MSDS data relates only to the material designated and does not relate to its use with any other material or process. The data is believed to be accurate. However, since use conditions vary and are outside our control, Stearns Packaging Corporation makes no warranties, expressed or implied, and assumes no liability for failure to follow directions and safety precautions.

MATERIAL SAFETY DATA SHEET

SECTION 1 – PRODUCT/MANUFACTURER'S IDENTITY

Product Name: Neutral Cleaner Concentrate Formula ID Number: GL-31
MSDS File Name: NEUTRAL CLEANER CONC
Synonyms: ST-709, ST-709N, ST-710, ST-712, ST-714 EPA Reg #: None
DOT Hazard Class: None
Company: Stearns Packaging Corporation DOT Shipping Name: Compound, cleaning, NOI,
4200 Sycamore Avenue (53714) liquid. Item 48580, Sub 3. Class 55
PO Box 3216 NSF Certified: C1, 4/29/05
Madison, WI 53704-0216
Phone: 800-655-5008
Fax: 608-246-5149

Concentrate		In Dilution		HAZARD RATING
0	Flammability	0		
1	Health	1		3 = High
0	Reactivity	0		2 = Moderate
None	Special Hazard	None		1 = Slight
				0 = Insignificant

Emergency Contact: CHEM-TEL, 800-255-3924

Abbreviation Key: N.A.=Not Applicable,
N.D.=Not Determined

SECTION 2 – HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

CHEMICAL IDENTIFICATION	CAS NO.	HAZARD	PEL(ppm)	TLV(ppm)	%(Optional)
Sodium tetraborate decahydrate	1303-96-4	Irritant	None	5	<5%

SARA Section 313 Title III Notification Required: No

SECTION 3 – PHYSICAL DATA

Appearance and Odor: Clear, fluorescent yellow liquid
Solubility in water: Complete
Boiling Point: N.D.
Melting Point: N.A.
Vapor Pressure (mm Hg): N.D.
Vapor Density (Air=1): N.D.
Evaporation Rate (Water=0.3): N.D.
pH (Concentrate): 8.0 – 9.0
pH (Use Dilution): N.D.
Specific Gravity: 1.026

SECTION 4 – FIRE AND EXPLOSION HAZARD DATA

Flash Point and Method: Non-combustible, >200°F
Special Fire Fighting Procedures: Use full protective clothing and self-contained breathing apparatus.
Flammable Limits: LEL: N.A.
UEL: N.A.
Unusual Fire & Explosion Hazards: None
Extinguishing Media: N.A.

SECTION 5 – REACTIVITY DATA

Chemical Stability: Stable: Unstable: _____
Hazardous Polymerization: May Occur _____ Will Not Occur
Conditions to Avoid: Freezing and extreme heat
Conditions to Avoid: None known
Incompatibility (Materials to Avoid): Anything incompatible with water
Hazardous Decomposition or By-Products: None known

SECTION 6 – HEALTH HAZARD DATA/FIRST AID PROCEDURES

Health Hazards (Acute and Chronic): Irritation of eyes.
Signs and Symptoms of Exposure: Irritation of eyes and possibly upon direct prolonged contact with skin. Mists may irritate the mucous membranes.
Medical Conditions Aggravated by Exposure: No data available
Carcinogenicity: IARC Monographs? Yes _____ No
NTP? Yes _____ No OSHA Regulated? Yes _____ No
NOTE TO PHYSICIAN: No specific antidote. Use supportive care. Treatment should be based on judgment of physician in response to the reactions of the patient.

Emergency and First Aid Procedures:
Eyes: If contact occurs, flush with plenty of cool water for 15 minutes. Consult physician.
Skin: May be irritating to skin. Flush with water and wear gloves in the future to minimize exposure. Wash hands thoroughly after handling. Discontinue use if irritation persists and consult a physician.
Inhalation: Remove from exposure. Obtain medical attention immediately.
Ingestion: May be harmful if swallowed. If ingested, drink large amounts of water or milk. **DO NOT** induce vomiting. Get medical attention immediately. Avoid contamination of foods.

SECTION 7 – PREVENTATIVE AND CONTROL MEASURES

Ventilation: None normally required.
Steps to be Taken if Material is Spilled or Released: Material is biodegradable and may be flushed with water to sewer.
Skin Protection: Not normally required.
Waste Disposal: Comply with all local, state and federal regulations. Consult your state DNR or the EPA for specific questions. Wastewater should never enter a fresh water body without treatment.
Eye Protection: Not normally required. Use if splashes or mists may get into eyes.
Respirator Protection: Not required under normal working/use conditions.
Handling and Storage: Store at room temperature. Keep container closed when not in use.
Other Precautions: Keep out of the reach of children.

SECTION 8 – OTHER REGULATORY INFORMATION

MATERIAL SAFETY DATA SHEET

SECTION 1 – PRODUCT/MANUFACTURER'S IDENTITY

Product Name: Restroom & Bowl Liquid Concentrate
Synonyms: ST-816, ST-744
Company: Stearns Packaging Corporation
4200 Sycamore Avenue (53714)
PO Box 3216
Madison, WI 53704-0216
Phone: 800-655-5008
Fax: 608-246-5149

Formula ID Number: BL-40
MSDS File Name: RESTROOM & BOWL
EPA Reg #: N.A.
DOT Hazard Class: None
DOT Shipping Name: Compound, cleaning, NOI,
liquid. Item 48580, Sub. 3, Class 55
NSF Certified: None

Concentrate		In Dilution		HAZARD RATING
0	Flammability	0		
1	Health	0		
0	Reactivity	0		
None	Special Hazard	None		

Emergency Contact: CHEM-TEL, 800-255-3924

Abbreviation Key: N.A.=Not Applicable,
N.D.=Not Determined

SECTION 2 – HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

CHEMICAL IDENTIFICATION	CAS NO.	HAZARD	PEL(ppm)	TLV(ppm)	%(Optional)
Citric acid	77-92-9	Irritant			
Nonylphenol ethoxylate	127087-87-0	Irritant			

SARA Section 313 Title III Notification Required: No

SECTION 3 – PHYSICAL DATA

Appearance and Odor: Purple liquid, fresh scent
Solubility in water: Complete
Boiling Point: N.D.
Melting Point: N.D.
Vapor Pressure (mm Hg): N.A.
Vapor Density (Air=1): N.A.
Evaporation Rate (Water=0.3): N.A.
pH (Concentrate): 1.0
pH (1% Solution): 2.0
Specific Gravity: 1.195

SECTION 4 – FIRE AND EXPLOSION HAZARD DATA

Flash Point and Method: N.A.
Flammable Limits: LEL: N.A.
UEL: N.A.
Extinguishing Media: N.A.
Special Fire Fighting Procedures: Use full protective clothing and self-contained breathing apparatus.
Unusual Fire & Explosion Hazards: None.

SECTION 5 – REACTIVITY DATA

Chemical Stability: Stable: Unstable:
Conditions to Avoid: Freezing and extreme heat.
Incompatibility (Materials to Avoid): Metal nitrates.
Hazardous Polymerization: May Occur Will Not Occur
Conditions to Avoid: None known.
Hazardous Decomposition or By-Products: None known.

SECTION 6 – HEALTH HAZARD DATA/FIRST AID PROCEDURES

Health Hazards (Acute and Chronic): Irritation of exposed tissues, especially eyes, skin, throat, nasal cavities, and other mucous membranes.

Signs and Symptoms of Exposure: Irritation of eyes and skin. Diarrhea. Irritation of mucous membranes.

Medical Conditions Aggravated by Exposure: N.D.

Carcinogenicity: IARC Monographs? Yes No

NTP? Yes No OSHA Regulated? Yes No

Emergency and First Aid Procedures:

Eyes: If contact occurs, flush with plenty of cool water for 15 minutes. Consult physician.
Skin: May be irritating to skin. Flush with water and wear gloves in the future to minimize exposure. Wash hands thoroughly after handling. Discontinue use if irritation persists and consult a physician.
Inhalation: Remove from exposure. Obtain medical attention immediately.
Ingestion: May be harmful if swallowed. If ingested, drink large amounts of water or milk. **DO NOT** induce vomiting. Get medical attention immediately. Avoid contamination of foods.

NOTE TO PHYSICIAN: No specific antidote. Use supportive care. Treatment should be based on judgment of physician in response to the reactions of the patient.

SECTION 7 – PREVENTATIVE AND CONTROL MEASURES

Ventilation: Local Exhaust: Recommended.
Mechanical: Recommended.
Skin Protection: Use neoprene, rubber, or other chemical resistant gloves.
Eye Protection: Avoid eye contact.
Respirator Protection: In general, respirators are not needed if the product is used in a well-ventilated area.
Other Precautions: Keep out of the reach of children.

Steps to be Taken if Material is Spilled or Released: Contain any spilled material that may be salvageable. Wash down residues with water. Dispose of material through a sanitary sewer or as local and federal regulations permit.

Waste Disposal: Comply with all local, state and federal regulations. Consult your state DNR or the EPA for specific questions. Wastewater should never enter a fresh water body without treatment. Spread and/or disperse in an approved landfill. Dissolve and pour down sanitary sewer.

Handling and Storage: Wear recommended safety gear. Do not mix with other chemicals or cleaning agents.

SECTION 8 – OTHER REGULATORY INFORMATION

MATERIAL SAFETY DATA SHEET

SECTION 1 – PRODUCT/MANUFACTURER'S IDENTITY

Product Name: Window Cleaner & Stainless Steel Cleaner
Synonyms: ST-719
Window Cleaner
Company: Stearns Packaging Corporation
4200 Sycamore Avenue (53714)
PO Box 3216
Madison, WI 53704-0216
Phone: 800-655-5008
Fax: 608-246-5149

Formula ID Number: WK-10
MSDS File Name: WINDOW CLEANER 719
EPA Reg #: None
DOT Hazard Class: ORM-D
DOT Shipping Name: Consumer Commodity, ORM-D
Hazard Label: ORM-D
NSF Certified: C2, 7/20/04

Concentrate		In Dilution		HAZARD RATING
2	Flammability		0	
1	Health		1	3 = High
0	Reactivity		0	2 = Moderate
None	Special Hazard		None	1 = Slight
				0 = Insignificant

Emergency Contact: CHEM-TEL, 800-255-3924

Abbreviation Key: N.A.=Not Applicable,
N.D.=Not Determined

SECTION 2 – HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

CHEMICAL IDENTIFICATION	CAS NO.	HAZARD	PEL(ppm)	TLV(ppm)	%(Optional)
1-methoxy-2-propanol	107-98-2	Flammable	100	100	150 STEL

SARA Section 313 Title III Notification Required: No

SECTION 3 – PHYSICAL DATA

Appearance and Odor: Clear, blue liquid, glycol ether smell
Solubility in water: Complete
Boiling Point: N.D.
Melting Point: N.A.
Vapor Pressure (mm Hg): N.D.
Vapor Density (Air=1): N.D.
Evaporation Rate (Water=0.3): N.D.
pH (Concentrate): 9.5
pH (1% Solution): N.D.
Specific Gravity: 0.9652

SECTION 4 – FIRE AND EXPLOSION HAZARD DATA

Flash Point and Method: Non-combustible, >140°F
Special Fire Fighting Procedures: Use full protective clothing and self-contained breathing apparatus. Keep vapors away from possible ignition sources.
Flammable Limits: LEL: N.A., UEL: N.A.
Unusual Fire & Explosion Hazards: None
Extinguishing Media: CO₂, water, fog, alcohol foam, dry chemical

SECTION 5 – REACTIVITY DATA

Chemical Stability: Stable: Unstable: _____
Hazardous Polymerization: May Occur _____ Will Not Occur
Conditions to Avoid: Freezing and extremes of heat
Conditions to Avoid: None known
Incompatibility (Materials to Avoid): Oxidizing material
Hazardous Decomposition or By-Products: None known

SECTION 6 – HEALTH HAZARD DATA/FIRST AID PROCEDURES

Health Hazards (Acute and Chronic): Irritation of exposed tissues, especially eyes, skin, throat, nasal cavities, and other mucous membranes.
Signs and Symptoms of Exposure: Irritation of eyes and possibly upon direct prolonged contact with skin. Mists may irritate the mucous membranes.
Medical Conditions Aggravated by Exposure: No data available
Carcinogenicity: IARC Monographs? Yes _____ No
NTP? Yes _____ No OSHA Regulated? Yes _____ No
NOTE TO PHYSICIAN: No specific antidote. Use supportive care. Treatment should be based on judgment of physician in response to the reactions of the patient.
Emergency and First Aid Procedures:
Eyes: If contact occurs, flush with plenty of cool water for 15 minutes. Consult physician.
Skin: May be irritating to skin. If contact occurs, flush with water and wear gloves in the future to minimize exposure. Wash hands thoroughly after handling. Discontinue use if irritation persists and consult a physician.
Inhalation: Remove from exposure. Obtain medical attention immediately.
Ingestion: May be harmful if swallowed. Drink large amounts of water or milk. **DO NOT** induce vomiting. Get medical attention immediately. Avoid contamination of foods.

SECTION 7 – PREVENTATIVE AND CONTROL MEASURES

Ventilation: Local Exhaust: For control TLV<100 ppm for 1-methoxy-2-propanol
Mechanical: For control TLV<100 ppm for 1-methoxy-2-propanol
Steps to be Taken if Material is Spilled or Released: May be flushed with water. Material is biodegradable and may be flushed with water to sewer.
Waste Disposal: Comply with all local, state, and federal regulations. Consult your state DNR or the EPA for specific questions. Wastewater should never enter a fresh water body without treatment.
Skin Protection: Use neoprene, rubber, or other chemical resistant gloves. Wear protective clothing to prevent repeated or prolonged contact.
Handling and Storage: Store at room temperature. Keep container closed when not in use. Do not mix with other chemicals or cleaning agents.
Eye Protection: Avoid eye contact.
Other Precautions: Keep out of the reach of children.
Personal Hygiene: As good hygiene dictates.
Respirator Protection: In general, respirators are not needed if the product is used in a well-ventilated area.

SECTION 8 – OTHER REGULATORY INFORMATION

California SCAQMD Rule 443.1 VOC's
VOC: No data found
New Jersey & Pennsylvania Right-to-Know law:
Glycol ether PM 107-98-2
Vapor pressure: 12.5 mm Hg at 25°C

rev. 9/21/04

This MSDS data relates only to the material designated and does not relate to its use with any other material or process. The data is believed to be accurate. However, since use conditions vary and are outside our control, Stearns Packaging Corporation makes no warranties, expressed or implied, and assumes no liability for failure to follow directions and safety precautions.

MATERIAL SAFETY DATA SHEET

SECTION 1 – PRODUCT/MANUFACTURER'S IDENTITY

Product Name: Mark 11
Synonyms: ST-735, ST-738, ST-740, ST-740E, ST-745, ST-747, ST-2020
Company: Stearns Packaging Corporation
4200 Sycamore Avenue (53714)
PO Box 3216
Madison, WI 53704-0216
Phone: 800-655-5008
Fax: 608-246-5149

Formula ID Number: SL-30
MSDS File Name: MARK 11
EPA Reg #: 10324-120-3640
DOT Hazard Class: None
DOT Shipping Name: Disinfectant, NOI, liquid.
Item 57100, Sub. 3, Class 85
NSF Certified: D2, 7/20/04

Concentrate		In Dilution		HAZARD RATING
1	Flammability	0		
3	Health	1		3 = High
0	Reactivity	0		2 = Moderate
None	Special Hazard	None		1 = Slight
				0 = Insignificant

Emergency Contact: CHEM-TEL, 800-255-3924

Abbreviation Key: N.A.=Not Applicable,
N.D.=Not Determined

SECTION 2 – HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

CHEMICAL IDENTIFICATION	CAS NO.	HAZARD	OSHA PEL(ppm)	ACGIH TLV(ppm)	%(Optional)
Alkyl dimethyl benzyl ammonium chloride (C12-18)	68391-01-5	Corrosive			2 - 4
Alkyl dimethyl ethyl benzyl ammonium chloride (C12-14)	68956-79-6	Corrosive			2 - 4
Ethanol	64-17-5	Flammable	1000 (TWA)	1000 (TWA)	<1

SARA Section 313 Title III Notification Required: No

SECTION 3 – PHYSICAL DATA

Appearance and Odor: Red liquid, fresh scent
Solubility in water: Complete
Boiling Point: Over 210°F (over 99°C)
Melting Point: N.A.
Pour Point: N.D.

Vapor Pressure (mm Hg): N.D.
Vapor Density (Air=1): N.D.
Evaporation Rate (Butyl acetate=1): N.D.
VOC Content: N.D.

pH (Concentrate): 6.0 - 8.0
pH (1:64 Dilution): 7.0 ± 0.5
Specific Gravity: 1.008
Viscosity: 21.72 cs @ 24°C

SECTION 4 – FIRE AND EXPLOSION HAZARD DATA

Flash Point and Method: Over 210°F
Flammable Limits: LEL: N.D., UEL: N.D.
Extinguishing Media: Dry chemical, foam, CO₂, water fog. Solid water streams may spread burning liquid.

Special Fire Fighting Procedures: Firefighters should wear full protective clothing including self-contained breathing apparatus. Cool fire exposed containers with spray.
Unusual Fire & Explosion Hazards: Irritating and toxic gases or fumes may be released during a fire.

SECTION 5 – REACTIVITY DATA

Chemical Stability: Stable: Unstable: _____
Conditions to Avoid: Heat and strong oxidizing agents.
Incompatibility (Materials to Avoid): Strong oxidizing agents (may result in fire); reducing agents.

Hazardous Polymerization: May Occur _____ Will Not Occur
Conditions to Avoid: None known
Hazardous Decomposition or By-Products: Carbon monoxide, carbon dioxide, and toxic hydrogen chloride vapors.

SECTION 6 – HEALTH HAZARD DATA/FIRST AID PROCEDURES

Health Hazards (Acute and Chronic): Ingestion of ethanol by pregnant women can cause reproductive toxicity to the fetus.
Signs and Symptoms of Exposure: Ingestion: Ingestion can cause gastrointestinal irritation, nausea, vomiting, and diarrhea and possibly death. Harmful if swallowed. Skin: Causes corrosive burns. Brief exposures may cause irritation and defatting of the skin. Exposures not promptly washed off may lead to toxic effects similar to ingestion. Harmful if absorbed through skin. Inhalation: Mists and vapors can irritate the throat and respiratory tract. High vapor concentrations may cause central nervous system effects. Symptoms may include headaches, dizziness, and drowsiness. Harmful if inhaled. Eyes: Causes burns and may result in permanent injury to eyes including blindness.
Medical Conditions Aggravated by Exposure: No data available.
Carcinogenicity: IARC Monographs? Yes _____ No
NTP? Yes _____ No OSHA Regulated? Yes _____ No
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Emergency and First Aid Procedures:
Ingestion: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Inhalation: If symptoms are experienced, move victim to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Eyes: Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Seek medical attention at once.

SECTION 7 – PREVENTATIVE AND CONTROL MEASURES

Ventilation: Provide adequate local exhaust ventilation (explosion proof) to maintain worker exposure below exposure limits.
Skin Protection: Use impervious gloves (rubber or neoprene). Wear suitable protective clothing.
Eye Protection: Wear chemical goggles. Use face shield if splashing is possible.
Respiratory Protection: If exposure limits are exceeded or if irritation is experienced, NIOSH approved respiratory protection should be worn. Ventilation and other forms of engineering controls are often the preferred means for controlling chemical exposures. Respiratory protection may be needed for non-routine or emergency situations.
Other Precautions: Eye wash fountain and emergency showers are recommended. Keep out of the reach of children.

Steps to be Taken if Material is Spilled or Released: Isolate spill or leak area immediately. Keep unauthorized personnel away. Stay upwind. Keep out of low areas where vapors may accumulate. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area.) Ventilate closed spaces before entering. All equipment used when handling the product must be grounded. Floor will be slippery. Do not touch or walk through spilled material. Stop leak if you can do it without risk. A vapor suppressing foam may be used to reduce vapors. Prevent entry into waterways, sewers, basements, or confined areas. Absorb or cover the dry earth, sand, or other non-combustible material and transfer to containers. Use clean non-sparking tools to collect absorbed material. For large spills, dike far ahead of liquid spill for later disposal. Water spray may reduce vapor but will increase foaming. Water may not prevent ignition in closed spaces.
Waste Disposal: Comply with all local, state, and federal regulations. Consult your state DNR or the EPA for specific questions. Wastewater should never enter a fresh water body without treatment.
Handling and Storage: Avoid contact with skin and eyes. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Wash thoroughly after work using soap and water. Keep container tightly closed and in a cool, well-ventilated place. Keep from freezing. Do not handle or store near an open flame, heat, or other sources of ignition. Prevent electrostatic charge buildup by using common bonding and ground techniques.

SECTION 8 – OTHER REGULATORY INFORMATION

State Right-to-Know lists:

Ethanol 64-17-5 AZ, CA, CAP65R, CT, FL, ID, MA, MN, NJ, PA, RI
Benzyl Chloride (trace impurity: <10ppm) AZ, CA, CAP65C, FL, IL, MA, MN, NJ, PA

This MSDS data relates only to the material designated and does not relate to its use with any other material or process. The data is believed to be accurate. However, since use conditions vary and are outside our control, Stearns Packaging Corporation makes no warranties, expressed or implied, and assumes no liability for failure to follow directions and safety precautions.

rev. 8/09/07